






CARACTERÍSTICAS CHARACTERISTICS

84
REF.




AISI
316 L

12m³/h
3Bar




GRIFERÍA TAP

C




— 44 —



A	B	C	D	E
100	2200	430	175	150
03,97	86,61	16,93	06,89	05,91

mm
inch


CARACTERÍSTICAS CHARACTERISTICS



ROCIADORES SHOWERHEADS




GRIFERÍA TAP



A	B	C	D	E
130	2200	95	175	150
05,12	86,61	03,74	06,89	05,91

mm
inch



85
REF.

REF. 85A10

REF. 85T
+REF. 85TL




	AISI 316 L	12m ³ /h 3Bar			
--	------------	-----------------------------	--	--	--

ROCIADORES SHOWERHEADS

01 	03 	04 	06
 Ø200mm			
08 	10 	16 	17
 Ø180mm	 180x180mm	 Ø300mm	 300x300mm
18 	19 	20 	

GRIFERÍA TAP

A 	B 	C



A	B	C	D	E
120	2200	85	185	150
04,72	86,61	03,35	07,28	05,91


mm
inch

REF. 85TL



REF.85TB18


CARACTERÍSTICAS CHARACTERISTICS



ROCIADORES SHOWERHEADS




GRIFERÍA TAP



A	B	C	D	E
130	2200	95	175	150
05,12	86,61	03,74	06,89	05,91

mm
inch



86
REF.

REF. 86F



	AISI 316 L	12m ³ /h 3Bar			
--	------------	-----------------------------	--	--	--


ROCIADORES SHOWERHEADS

01 	03 	04 	06
 Ø200mm			
08 	10 	16 	17
 Ø180mm	 180x180mm	 Ø300mm	 300x300mm
18 	19 	20 	

GRIFERÍA TAP

A 	C 	D


REF.86FC17



A	B	C	D	E
130	2200	95	175	150
05,12	86,61	03,74	06,89	05,91

mm
inch


CARACTERÍSTICAS CHARACTERISTICS



ROCIADORES SHOWERHEADS




GRIFERÍA TAP



A	B	C	D	E
215	2200	95	275	155
08,46	86,61	03,74	10,83	06,10

mm
inch



REF. **87M**

CARACTERÍSTICAS CHARACTERISTICS

REF. **88G**

REF.88GA17




		AISI 316L	12m ³ /h 3Bar		

ROCIADORES SHOWERHEADS

01 	03 	04 	06
 Ø200mm			
08 	10 	16 	17
 Ø180mm	 180x180mm	 Ø300mm	 300x300mm
18 	19 	20 	

GRIFERÍA TAP


A 	B 	C



A	B	C	D	E
215	2200	95	275	155
08,46	86,61	03,74	10,83	06,10

mm
inch


CARACTERÍSTICAS CHARACTERISTICS



ROCIADORES SHOWERHEADS



REF. 89




A	B	C	D	E
50	2060	50	175	150
01,97	81,10	01,97	06,89	05,91

mm
inch


REF.89-08

CARACTERÍSTICAS CHARACTERISTICS

REF. 89C




	AISI 316 L		12m ³ /h 3Bar



A	B	C	D	E
Ø500	2110	50	175	150
Ø19,69	83,07	01,97	06,89	05,91

mm
inch

CARACTERÍSTICAS CHARACTERISTICS



ROCIADORES SHOWERHEADS



03



08




10



16



17



A	B	C	D	E
50	2120	350	175	150
01,97	83,47	13,78	6,89	05,91

mm
inch



REF. **90**

REF.90-10

REF. 91





REF.91IC1



ROCIADORES SHOWERHEADS




GRIFERÍA TAP



A	B	C	D	E
75	2200	55	175	150
02,95	86,61	02,17	06,89	05,91

mm
inch



CARACTERÍSTICAS CHARACTERISTICS



ROCIADORES SHOWERHEADS




GRIFERÍA TAP



A	B	C	D	E
75	2200	55	175	150
02,95	86,61	02,17	06,89	05,91




mm
inch



REF. 91ECO



REF.91ECOC18

CARACTERÍSTICAS CHARACTERISTICS


	AISI 316 L	12m ³ /h 3Bar		
---	---------------	-----------------------------	---	---

ROCIADORES SHOWERHEADS


03




08




10



16




17




GRIFERÍA TAP



A



B



C



REF.92B8

A	B	C	D	E	F	G	H	I
130	1650	310	250	95	240	720	130	Ø30
05,12	64,96	12,20	09,84	03,74	09,45	28,35	05,12	Ø01,18

mm
inch

REF. 92

CARACTERÍSTICAS CHARACTERISTICS



93
REF.

ROCIADORES SHOWERHEADS


03




08




10



16



17



A	B	C	D	E
50	2250	350	175	150
01,97	88,58	13,78	06,89	05,91


mm
inch




REF.93-16

CARACTERÍSTICAS CHARACTERISTICS



REF. **94**



ROCIADORES SHOWERHEADS



GRIFERÍA TAP



A	B	D
Ø90-Ø125	2200	Ø190
Ø03,54-Ø04,92	86,61	Ø07,48

mm
inch

REF.94GC20



REF. 95



CARACTERÍSTICAS CHARACTERISTICS




AISI
316L



12m³/h
3Bar

A	B	C
700	550	100
27,56	21,65	03,94

mm
inch



REF. 96



REF. 96C6(3)

	AISI 316 L	12m ³ /h 3Bar			
--	------------	-----------------------------	--	--	--

ROCIADORES SHOWERHEADS


01 	03 	04 	06
 Ø200mm			
08 	10 	16 	17
 Ø180mm	 180x180mm	 Ø300mm	 300x300mm
18 	19 	20 	

GRIFERÍA TAP


A 	B 	C 		
A	B	C	D	E
130	2200	130	190	190
05,12	86,61	05,12	07,48	07,48

mm
inch

CARACTERÍSTICAS CHARACTERISTICS



REF. **97**



A	B	C	D	E
Ø50	2200	550	175	150
Ø1,97	86,61	21,65	06,89	05,91

mm
inch




CARACTERÍSTICAS CHARACTERISTICS

REF. **98**




	AISI 316 L		12m ³ /h 3Bar



A	B	C	D
Ø63	2200	430	Ø165
Ø2,48	86,61	16,93	06,50

mm
inch

CARACTERÍSTICAS CHARACTERISTICS



ROCIADORES SHOWERHEADS



GRIFERÍA TAP



99INOX


A	B	C	D	E
100	2200	175	160	225
03,94	86,61	03,74	06,30	08,86

mm
inch

99PVC

A	B	C	D	E
185	2200	180	245	235
07,28	86,61	07,09	09,65	09,25

mm
inch




99
REF.

REF. **100**




REF.100BG



AISI
316 L



12m³/h
3Bar



ROCIADORES SHOWERHEADS

G

16






GRIFERÍA TAP

A

B


C




A	B	C	D
Ø130	2200	510	Ø190
Ø05,12	86,61	20,08	Ø07,48

mm
inch


REF. 101M · 102M



CARACTERÍSTICAS CHARACTERISTICS



REF.101M



REF.102M

A	B	C
750	920	34
29,53	36,22	01,34

mm
inch


A	B	C
750	920	40
29,53	36,22	01,57

mm
inch




REF. **119**



OPCIÓN *OPTION A*



OPCIÓN *OPTION B*



CARACTERÍSTICAS CHARACTERISTICS


-
-
-
-

A	B	C	D	E
1190	2050	130	150	175
46,86	80,71	05,12	05,91	06,89



mm
inch

REF. **119C**

OPCIÓN *OPTION A*



OPCIÓN *OPTION B*



CARACTERÍSTICAS CHARACTERISTICS



A	B	C	D	E
1190	2200	130	150	175
46,86	86,61	05,12	05,91	06,89

mm
inch

